CLAIM AMENDMENTS

- 1. (Original) A polyester composition comprising 100 parts by weight of a thermoplastic polyester and 0.1 to 50 parts by weight of a partially aromatic polyamide, wherein the content of an alkali metal atom in the polyester composition is within the range of 0.1 to 300 ppm.
- 2. (Original) A polyester composition comprising 100 parts by weight of a thermoplastic polyester and 0.1 to 50 parts by weight of a partially aromatic polyamide, wherein the content of phosphorus atom in the polyester composition is within the range of 5 to 200 ppm.
- 3. (Currently Amended) The polyester composition according to claim 1, wherein the content of phosphorus atom in the thermoplastic polyester composition is within the range of 5 to 200 ppm.
- 4. (Original) A polyester composition comprising 100 parts by weight of a thermoplastic polyester comprising a dicarboxylic acid component mainly comprising an aromatic dicarboxylic acid or an ester-forming derivative thereof and a glycol component mainly comprising ethylene glycol, and 0.01 to 30 parts by weight of a partially aromatic polyamide, wherein the Color-L value of a molded article obtained by injection molding of the polyester composition at a molding temperature of 290°C is 80.0 or more and the haze thereof is 20% or less.
- 5. (Original) The polyester composition according to claim 4, wherein the content of antimony atom is 200 ppm or less.
- 6. (Currently Amended) The polyester composition according to claim 4 or 5, wherein the content of an alkali metal atom is from 0.1 to 300 ppm and the content of phosphorus atom is from 5 to 200 ppm in the thermoplastic polyester composition.

In re Appln. of Nakayama et al. Application No. Unassigned Attorney Docket No. 403265

- 7. (Original) A polyester composition comprising 100 parts by weight of a thermoplastic polyester, 0.01 to 100 parts by weight of a partially aromatic polyamide, and 5 \times 10⁻⁴ to 1 part by weight of an amino group-containing compound.
- 8. (Currently Amended) The polyester composition according to any one of claims 1 to 7 claim 1, wherein the partially aromatic polyester is an m-xylylene group-containing polyamide.
- 9. (Currently Amended) The polyester composition according to any one of claims 1 to 8 claim 1, wherein the thermoplastic polyester is a polyester comprising ethylene terephthalate as a main repeating unit.
- 10. (Currently Amended) The polyester composition according to any one of claims 1 to 9 claim 1, wherein the difference $(A_t A_0)$ between the acetaldehyde content (A_t) (ppm) in an molded article obtained by injection molding of the polyester composition and the acetaldehyde content (A_0) (ppm) of the polyester composition before injection molding is 20 ppm or less.
- 11. (Currently Amended) The polyester composition according to any one of claims 1 to 10 claim 1, wherein the content of a cyclic trimer derived from the thermoplastic polyester is 0.7% by weight or less.
- 12. (Currently Amended) The polyester composition according to any one of claims 1 to 11 claim 1, wherein the increase of a cyclic trimer derived from the thermoplastic polyester during melting treatment at 290°C for 30 minutes is 0.4% by weight or less.
- 13. (Currently Amended) A polyester packaging material, which is obtained by molding the polyester composition according to any one of claims 1 to 12 claim 1.

In re Appln. of Nakayama et al. Application No. Unassigned Attorney Docket No. 403265

- 14. (Original) The polyester packaging material according to claim 13, wherein the packaging material is at least any one of blow-molded articles, sheet articles, and films.
- 15. (New) The polyester composition according to claim 2, wherein the partially aromatic polyester is an m-xylylene group-containing polyamide.
- 16. (New) The polyester composition according to claim 4, wherein the partially aromatic polyester is an m-xylylene group-containing polyamide.
- 17. (New) The polyester composition according to claim 7, wherein the partially aromatic polyester is an m-xylylene group-containing polyamide.
- 18. (New) The polyester composition according to claim 2, wherein the thermoplastic polyester is a polyester comprising ethylene terephthalate as a main repeating unit.
- 19. (New) The polyester composition according to claim 4, wherein the thermoplastic polyester is a polyester comprising ethylene terephthalate as a main repeating unit.
- 20. (New) The polyester composition according to claim 7, wherein the thermoplastic polyester is a polyester comprising ethylene terephthalate as a main repeating unit.
- 21. (New) The polyester composition according to claim 2, wherein the difference $(A_t A_0)$ between the acetaldehyde content (A_t) (ppm) in an molded article obtained by injection molding of the polyester composition and the acetaldehyde content (A_0) (ppm) of the polyester composition before injection molding is 20 ppm or less.

In re Appln. of Nakayama et al. Application No. Unassigned Attorney Docket No. 403265

- 22. (New) The polyester composition according to claim 4, wherein the difference $(A_t A_0)$ between the acetaldehyde content (A_t) (ppm) in an molded article obtained by injection molding of the polyester composition and the acetaldehyde content (A_0) (ppm) of the polyester composition before injection molding is 20 ppm or less.
- 23. (New) The polyester composition according to claim 7, wherein the difference $(A_t A_0)$ between the acetaldehyde content (A_t) (ppm) in an molded article obtained by injection molding of the polyester composition and the acetaldehyde content (A_0) (ppm) of the polyester composition before injection molding is 20 ppm or less.
- 24. (New) The polyester composition according to claim 2, wherein the content of a cyclic trimer derived from the thermoplastic polyester is 0.7% by weight or less.
- 25. (New) The polyester composition according to claim 4, wherein the content of a cyclic trimer derived from the thermoplastic polyester is 0.7% by weight or less.
- 26. (New) The polyester composition according to claim 7, wherein the content of a cyclic trimer derived from the thermoplastic polyester is 0.7% by weight or less.
- 27. New) The polyester composition according to claim 2, wherein the increase of a cyclic trimer derived from the thermoplastic polyester during melting treatment at 290°C for 30 minutes is 0.4% by weight or less.
- 28. (New) The polyester composition according to claim 4, wherein the increase of a cyclic trimer derived from the thermoplastic polyester during melting treatment at 290°C for 30 minutes is 0.4% by weight or less.
- 29. (New) The polyester composition according to claim 7, wherein the increase of a cyclic trimer derived from the thermoplastic polyester during melting treatment at 290°C for 30 minutes is 0.4% by weight or less.

In re Appln. of Nakayama et al. Application No. Unassigned Attorney Docket No. 403265

- 30. (New) A polyester packaging material, which is obtained by molding the polyester composition according to claim 2.
- 31. (New) A polyester packaging material, which is obtained by molding the polyester composition according to claim 4.
- 32. (New) A polyester packaging material, which is obtained by molding the polyester composition according to claim 7.